


12

# Global Extrema

## Bolzano theorem

A continuous function  $f$  has a maximum and minimum on a closed interval  $[a,b]$ .

Check local extrema in the interior of the interval and then look at boundary points



# *PLAN*

0. Something about the exam

1. True-False Poll

2. Extremal Value Theorem

3. Harvard Stadium Problem

4. Harvard Statue Problem

5. Mechanic Problem (Jam)

# *FIRST HOURLY*

**Friday March 5th**

Material until Monday March 1

Practice exams to come.

Format will be announced.

# POLL

T F

F T


T T

F F

A) If  $f'(0)=0$  and  $f''(0)>0$  then  
0 is a minimum

B) If  $f'(0)=0$  and 0 is a  
minimum, then  $f''(0)>0$


# Bolzano Theorem



**Extremal Value  
Theorem:** A continuous  
function on a compact  
interval has both a global  
maximum and a global  
minimum.


Bernard Bolzano  
1781-1848

# Bolzano - Boltzmann




1781-1848  
Bernard Bolzano

See Homework




1844-1906  
Ludwig Boltzmann



# Closed Interval method

Boundary points

Critical points



To find a global max on  $[a,b]$ , list all critical points and boundary points

# Soda Problem

Which can of volume  $V = \pi r^2 h = 2\pi$  uses minimal material given by the surface area  $A(r) = 2\pi r h + 2\pi r^2$




# *STADIUM PROBLEM*

Which stadium of the following geometry has maximal area?


circumference length


$$f(x) = \pi x + 20$$

$10-x$



$2x$






Oliver flies on the flight simulator, 2008



Oliver flies on the flight simulator, 2021

# HARVARD STATUE

From which  
distance  $x$  do you  
see  
the Harvard  
Statue best?



# *EXPERIMENT 2014*









# WIRE PROBLEM

JAMM

Maximize the area  $x^2 + \pi y^2$   
with a total wire length  $4x + 2\pi y = 2$






Figure 3.10. Minimize the area given the combined perimeter  $L$ .




Figure 3.11. The two containers try to expand against the rope's tension.

MARK LEVI

THE MATHEMATICAL MECHANIC USING PHYSICAL REASONING TO SOLVE PROBLEMS

JAM

$\int_{\partial D} k ds + \int_D K dS = 2\pi$

$\sqrt{ab} \leq \frac{a+b}{2}$

$E = mc^2 = ma^2 + mb^2$

$\frac{\sin \alpha}{u} = \frac{\sin \beta}{v}$

$1 + \frac{1}{4} + \frac{1}{9} + \dots = \frac{\pi}{6}$

FROM LEVI:

*The End*