

Lecture 36: Calculus and AI

What would it take to build an artificial calculus teacher?

Machines assist us already in many domains: heavy work is done by **machines and robots**, accounting by **computers** and fighting by **drones**. Lawyers and doctors are assisted by artificial intelligence. There is no reason why teaching is different. The **web** has become a "gigantic brain" to which virtually any question can be asked or googled: "Dr Know" in Spielberg's movie "AI" is humbled: enter symptoms for an illness and get a diagnosis, enter a legal question and find previous cases. Enter a calculus problem and get an answer. Building an **artificial calculus teacher** involves calculus itself: such a bot must connect dots on various levels: understand questions, read and grade papers and exams, write good and original exam questions, know about learning and pedagogy. Ideally, it should also have "ideas" like to "make a lecture on artificial intelligence". But first of all, our AI friend needs to know calculus and be able to generate and solve calculus problems. ¹

Generating calculus problems

Having been involved in a linear algebra book project once, helping to generating solutions to problems, I know that some calculus books are written with help of computer algebra systems. They generate problems and solutions. This applies mostly to drill problems. In order to generate problems, we first must build **random functions**. Our AI engine "sofia" knew how to generate random problems with solutions. probably in one day as much content as our Sofia group could do in a week for our "pet project". Random functions are involved when asked "give me an example of a function". This is easy: the system would generate functions of reasonable complexity:

Call the 10 functions $\{\sin, \cos, \log, \exp, \tan, \text{sqt}, \text{pow}, \text{inv}, \text{sca}, \text{tra}\}$ **basic functions**.

Here $\text{sqt}(x) = \sqrt{x}$ and $\text{inv}(x) = 1/x^k$ for a random integer k between -1 and -3 , $\text{pow}(x) = x^k$ for a random integer k between 2 and 5 . $\text{sca}(x) = kx$ is a scalar multiplication for a random nonzero integer k between -3 and 3 and $\text{tra}(x) = x+k$ translates for a random integer k between -4 and 4 .

Second, we use addition, subtraction multiplication, division and composition to build more complicated functions:

A **basic operation** is an operation from the list $\{f \circ g, f + g, f * g, f/g, f - g\}$.

The operation x^y is not included because it is equivalent to $\exp(x \log(y)) = \exp \circ (x \cdot \log)$. We can now build functions of various complexities:

¹In the academic year of 2003/2004, thanks to a grant from the Harvard Provost, I could work with undergraduates **Johnny Carlsson**, **Andrew Chi** and **Mark Lezama** on a "calculus chat bot". We spent a couple of hours per week to enter mathematics and general knowledge, build interfaces to various computer algebra systems like Pari, Mathematica, Macsyma and build a web interface. We fed our knowledge to already known chat bots and newly built ones and even had various bots chat with each other. We explored the question of automated learning of the bots from the conversations as well as to add context to the conversation, since bots needs to remember previous topics mentioned to understand some questions. We learned how immense the task is. In the mean time it has become business. Companies like **Wolfram research** have teams of mathematicians and computer scientists working on content for the "Wolfram alpha" engine.

A **random function** of complexity n is obtained by taking n random basic functions f_1, \dots, f_n , and n random basic operators $\oplus_1, \dots, \oplus_n$ and forming $f_n \oplus_n f_{n-1} \oplus_{n-1} \dots \oplus_2 f_1 \oplus_1 f_0$ where $f_0(x) = x$ and where we start forming the function from the right.

- 1 **Visitor:** "Give me an easy function": Sofia looks for a function of complexity one: like $x \tan(x)$, or $x + \log(x)$, or $-3x^2$, or $x/(x-3)$.
- 2 **Visitor:** "Give me a function": Sofia returns a random function of complexity two: $x \sin(x) - \tan(x)$, or $-e^{\sqrt{x}} + \sqrt{x}$ or $x \sin(x)/\log(x)$ or $\tan(x)/x^4$.
- 3 **Visitor:** "Give me a difficult function": Sofia builds a random function of complexity four like $x^4 e^{-\cos(x)} \cos(x) + \tan(x)$, or $x - \sqrt{x} - e^x + \log(x) + \cos(x)$, or $(1+x)(x \cot(x) - \log(x))/x^2$, or $(-x + \sin(x+3) - 3) \csc(x)$

Now, we can build a random calculus problem. To give you an idea, here are some templates for integration problems:

A **random integration problem** of complexity n is a sentence from the sentence list $\{$ "Integrate $f(x) = F(x)$ ", "Find the anti derivative of $F(x)$ ", "What is the integral of $f(x) = F(x)$?", "You know the derivative of a function is $f'(x) = F(x)$. Find $f(x)$." $\}$, where F is a random function of complexity n .

- 4 **Visitor** "Give me a differentiation problem". **Sofia:** Differentiate $f(x) = x \sin(x) - \frac{1}{x^2}$. The answer is $\frac{2}{x^3} + \sin(x) + x \cos(x)$.
- 5 **Visitor:** "Give me a difficult integration problem". **Sofia:** Find f if $f'(x) = \frac{1}{x} + (3 \sin^2(x) + \sin(\sin(x))) \cos(x)$. The answer is $\log(x) + \sin^3(x) - \cos(\sin(x))$.
- 6 **Visitor:** "Give me an easy extremization problem". **Sofia:** Find the extrema of $f(x) = x/\log(x)$. The answer is $x = e$.
- 7 **Visitor:** Give me an extremization problem". **Sofia:** Find the maxima and minima of $f(x) = x - x^4 + \log(x)$. The extrema are

$$\frac{\sqrt{(9 + \sqrt{3153})^{2/3} - 8\sqrt[3]{6}} + \sqrt{8\sqrt[3]{6} - (9 + \sqrt{3153})^{2/3} \left(1 + 6\sqrt{\frac{2}{9 + \sqrt{3153} - 8\sqrt[3]{6(9 + \sqrt{3153})}}}\right)}}{22^{5/6} \sqrt[3]{3} \sqrt[6]{9 + \sqrt{3153}}}$$

The last example shows the perils of random generation. Even so the function had decent complexity, the solution was difficult. Solutions can even be transcendental. This is not a big deal: just generate a new problem. By the way, all the above problems and solutions have been generated by Sofia. The dirty secret of calculus books is that there are maybe a thousand different type of questions which are usually asked. This is a reason why textbooks have become boring clones of each other and companies like "Aleks", "demidec" etc exist which constantly mine the web and course sites like this and homework databases like "webwork" which contain thousands of pre-compiled problems in which randomness is already built in.

Automated problem generation is the "fast food" of teaching and usually not healthy. But like "fast food" has evolved, we can expect more and more computer assisting in calculus teaching.

Be assured that for this course, the problems have been written by hand (I sometimes use Mathematica to see whether answers are reasonable). Handmade problems can sometimes a bit "rough" but hopefully some were more interesting. I feel that it is not fair to feed computer generated problems to humans. It is possible to write a program giving an answer to "Write me a final

exam”, but the exam would be uninspiring.

Here is an 1A exam completely written by a bot:

Homework

- 1 Lets build a differentiation problem by combining log and sin and exp. Differentiate all of the 6 combinations $\log(\sin(\exp(x)))$, $\log(\exp(\sin(x)))$, $\exp(\log(\sin(x)))$, $\exp(\sin(\log(x)))$, $\sin(\log(\exp(x)))$ and $\sin(\exp(\log(x)))$.
- 2 Four of the 6 combinations of log and sin and exp can be integrated as elementary functions. Do these integrals.
- 3 From the 10 functions f and 10 functions g and 5 operations, we can build 500 functions. Statistics shows that 5 can not be integrated. An example is $\exp(\sin(x))$. Find 4 more.
- 4 Lets be creative! Build an extremization problem which is applied. For example: a common theme for extrema are area and length. Invent an extremum problem involving an isoscele triangle. It should be of the form: ”Maximize the area ... ”. Now solve the problem.
- 5 Now lets be creative and build a volume problem for a surface of revolution similarly than the Hershey Kiss problem in the second midterm. The problem should not have appeared yet in lecture, homework or exams. Now solve your problem.